

Regentex 6 PW FRW

6oz polycotton canvas with fire, rot and water resistance

PHYSICAL PROPERTY	SPEC	TOLERANCE	TEST METHOD	
Weight (g/m ²)	300	+/- 5%	BS EN ISO 2286-2	BSENISO 2286 - 2
Width (cm)	as ordered	minimum	ISO 2286-1	BSENISO 2286 - 1
Flammability - Edge	Pass			BS 7837 (BS 5438 2B)
Flammability - Face	Pass			BS 7837 (BS 5438:2A)
Tensile Strength, Warp (N)	1400	minimum	EN ISO 13934-1	
Tensile Strength, Weft (N)	900	minimum	EN ISO 13934-1	
Wing Rip Tear, Warp (N)	24	minimum		BS EN ISO 13937-3
Wing Rip Tear, Weft (N)	33	minimum		BS EN ISO 13937-3

RECOMMENDED CARE INSTRUCTIONS